



## AWS ACCREDITED TEST FACILITY (ATF): ON-SITE AUDIT APPLICATION

Please complete the Application and the Audit Checklists and submit via email to [accreditation@aws.org](mailto:accreditation@aws.org) along with a copy of the Quality Assurance Manual and payment information.

*By completing and submitting this application, we hereby request the American Welding Society audit the specified facility in accordance with the provisions of [AWS QC47: 2016-AMD2, Specification for AWS Certification of Welders and Accreditation of Test Facilities](#).*

Facility Representative Signature: \_\_\_\_\_ Date: \_\_\_\_\_

### Type of Requested Audit

Initial Audit:

3<sup>rd</sup> Year Reaccreditation Audit:

Re-Audit:

### Preferred Audit Dates

1) \_\_\_\_\_

3) \_\_\_\_\_

2) \_\_\_\_\_

4) \_\_\_\_\_

*Although we will do our best to accommodate the audit according to the dates indicated, it is not guaranteed.*

### Facility Contact Information

Name of Facility: \_\_\_\_\_

Facility Representative: \_\_\_\_\_

Facility Representative Email: \_\_\_\_\_

Facility Representative Phone: \_\_\_\_\_

Qualifier(s): Name: \_\_\_\_\_ CWI #: \_\_\_\_\_

Name: \_\_\_\_\_ CWI #: \_\_\_\_\_

Name: \_\_\_\_\_ CWI #: \_\_\_\_\_

Facility Address (where the facility is located and where testing will take place):

Street: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Country: \_\_\_\_\_



Contact Information for Welder Testing (this will be used for the ATF Site Listing/Directory):

Name: \_\_\_\_\_

Email: \_\_\_\_\_

Phone: \_\_\_\_\_

Website: \_\_\_\_\_

### Request for Expanded Scope(s) of Authorization (if applicable)

ATFs accredited to QC47 will have a scope of testing that covers the four basic arc welding processes in compliance with relevant American codes and standards (AWS, ASME, API, etc.). Additionally, ATFs applying for accreditation may choose to extend the scope of testing to include other processes and testing methods by documentation and/or demonstration of the ATF's capabilities in those processes or testing methods.

**Please list the expanded scope(s) for consideration below:**

---

---

---

**If you are requesting a change in scope, please provide details below (if applicable):**

---

---

---

### Method of Payment

Please find ATF Fee schedule [here](#) and the AWS Certification payment policy [here](#).

P.O. (attach)

Credit Card    VISA                      MC                      AMEX                      Discover

Credit Card #: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_      Exp: \_\_\_\_\_ / \_\_\_\_\_

CVV: \_\_\_\_\_      Signature: \_\_\_\_\_

### For AWS Use Only

Date Received: \_\_\_\_\_ Account #: \_\_\_\_\_ Amount: \_\_\_\_\_



## AWS ACCREDITED TEST FACILITY (ATF) MANUAL CHECKLIST

This checklist provides auditors with a structured approach to reviewing the Quality Manual of an AWS Accredited Test Facility (ATF). It focuses specifically on the requirements outlined in Sections 10.1 through 10.1.15 of AWS QC47-2016-AMD2. Each requirement must be addressed in the Quality Manual, with supporting documentation and implementation evidence available for review. **Please complete the Manual Reference column by indicating the section or page number the checklist item can be found within the manual.**

### 1. ATF Quality Management System

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
1.1	Does the Quality Manual address all required elements of Clause 10?	10			
1.2	Does the Quality Manual reference all applicable codes, standards, and procedures?	10.1.1			
1.3	Does the ATF have access to and use current AWS QC47, AWS B2.1 SWPSs, and other required references?	10.1.1			

### 2. Quality Manual & Documentation

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
2.1	Is there a documented Quality Manual that meets AWS QC47 requirements?	10.1.2			
2.2	Are separate procedures and work instructions referenced in the manual?	10.1.2			



### 3. ATF Quality Policy Statement

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
3.1	Does the Quality Manual contain an ATF Quality Policy Statement?	10.1.3			
3.2	Does the Quality Policy Statement reflect the ATF's commitment to compliance and quality?	10.1.3			

### 4. Organizational Structure & Responsibilities

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
4.1	Does the ATF have an up-to-date organizational chart or other document that shows the titles and relationships of the key personnel at the facility?	10.1.4			
4.2	Are job descriptions documented for all key personnel?	10.1.5			
4.3	Are personnel responsibilities and decision-making authority clearly defined?	10.1.5			

### 5. Qualifier Control Requirements

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
5.1	Does the ATF document how Qualifiers meet quality system requirements?	10.2.4.2			
5.2	Are qualification and approval processes for Qualifiers documented?	10.2.4.1			



## 6. Quality Records & Document Control

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
6.1	Are quality records identified, controlled, and retained for at least three years?	10.1.6			
6.2	Is there a process for reviewing and approving quality records?	10.1.6			

## 7. Testing Procedures & Welder Qualification

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
7.1	Does the facility have documented procedures in place to ensure that all offsite welder qualification tests are conducted in accordance with AWS QC47 requirements (if applicable)?	7.1			
7.2	Does the ATF have documented procedures for conducting welder tests?	10.1.7			
7.3	Are testing procedures in place for different testing conditions (ATF, remote, field lab)?	10.1.7			

## 8. Test Records

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
8.1	Are all essential test variables recorded on the PQTR?	10.1.8			
8.2	Are volumetric examination (NDE) records properly referenced when applicable?	10.1.8			



### 9. Internal Audits & Management Review

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
9.1	Does the ATF conduct at least one internal audit per year?	10.1.9			
9.2	Is there a documented process for qualifying internal auditors?	10.1.9			
9.3	Does top management conduct an annual management review?	10.1.10			
9.4	Are corrective actions from management reviews documented and implemented?	10.1.11			

### 10. Nonconformance & Corrective Action

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
10.1	Are nonconformances documented and addressed in a timely manner?	10.1.11			
10.2	Are corrective actions implemented and verified?	10.1.11			

### 11. Handling Complaints & Ethical Violations

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
11.1	Does the ATF have a documented process for handling complaints?	10.1.12			
11.2	Are complaints from welders and employers recorded and addressed?	10.1.12			



## 12. Subcontracted Services & Vendor Controls

	Audit Question	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
12.1	Does the ATF evaluate and approve subcontractors for services such as NDE and machining?	10.1.13			
12.2	Is there a list of approved subcontractors maintained and reviewed?	10.1.13			



## AWS ACCREDITED TEST FACILITY (ATF) AUDIT CHECKLIST

The AWS Accredited Test Facility (ATF) Audit Checklist is a structured tool for evaluating compliance with AWS QC47 requirements. It covers key areas such as general facility requirements, organizational structure, quality management systems (QMS), personnel qualifications, test facility equipment, welder testing and certification, material control, and audit compliance. Each section provides specific audit questions, QC47 references, and space for auditor comments to ensure a thorough assessment of the ATF's quality and compliance practices.

**Please complete the Manual Reference column by indicating the section or page number the checklist item can be found within the manual.**

### 1. General Facility Requirements

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
1.1	Is the facility a legally identified entity?	7.2 (1)			
1.2	Does the facility have a valid accreditation certificate issued by AWS?	11.5.1			
1.3	Are security rules and measures implemented to protect proprietary and confidential information?	7.2 (4)			
1.4	Does the facility have a documented policy to prevent undue influence on staff?	7.2 (5)			
1.5	Does the facility have documented procedures in place to ensure that all offsite welder qualification tests are conducted in accordance with AWS QC47 requirements?	7.1			





## 2. Organizational Structure & Responsibilities

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
2.1	Is there an organizational chart or other document showing key personnel?	10.1.4			
2.2	Are job descriptions available for key personnel?	10.1.5			
2.3	Do all employees understand their roles and responsibilities?	7.2.6			
2.4	Is there a designated Facility Representative for AWS certification compliance?	10.2.3			

## 3. Quality Management System (QMS)

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
3.1	Is there a documented Quality Policy Statement?	10.1.3			
3.2	Does the facility have a written Quality Manual?	10.1.2			
3.3	Are procedures and work instructions controlled and referenced in the Quality Manual?	10.1.2			
3.4	Does the facility perform at least one internal audit per year?	10.1.9			
3.5	Is there an annual Management Review documented?	10.1.10			
3.6	Are nonconformities documented and corrected in a timely manner?	10.1.11			
3.7	Is there a complaints handling process?	10.1.12			
3.8	Are subcontracted services that impact	10.1.13			



	quality of testing reviewed to ensure that their services comply with the quality management system requirements? Is a list of subcontractors maintained and available for inspection?				
--	--	--	--	--	--

#### 4. Test Facility Equipment & Calibration

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
4.1	Is welding equipment suitable for the intended process and properly maintained?	10.3.1			
4.2	Is there a calibration program for measuring/test equipment (volt-amp meters, gauges, etc.)?	10.3.2.1			
4.3	Do all calibrated equipment have an identification method by which the equipment can be traced to the calibration record with valid dates?	10.3.2.1			
4.4	Are calibration records available and up to date?	10.3.2.1			
4.5	Are mechanical and NDE equipment properly maintained and verified?	10.3.3			

#### 5. Personnel Qualifications

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
5.1	Is the Facility Manager designated and documented?	10.2.1			
5.2	Is the Quality Manager responsible for QMS compliance?	10.2.2			



5.3	Are Qualifiers AWS CWI/SCWI with a Welder Performance Qualifier Endorsement?	10.2.4.1			
5.4	Are NDE technicians qualified per ASNT SNT-TC-1A Level II/III?	10.2.4.4			

## 6. Testing & Qualification Procedures

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
6.1	Are all welder tests conducted using AWS B2.1 Standard Welding Procedure Specifications (SWPSs)? If not, have the WPSs been reviewed by a CWI/SCWI who has successfully passed the AWS Welding Procedure Qualification endorsement?	8.1 Annex A			
6.2	Are test coupons properly identified, labeled, and traceable?	10.4.2.1 10.4.2.2			
6.3	Are visual inspections performed and documented before, during, and after welding?	10.5.3.3			
6.4	Are mechanical tests properly performed with traceability?	10.5.3.4			
6.5	If radiographic testing (RT) is used, is it performed in the as-welded condition and retained for 30 days?	10.5.3.5			
6.6	Are test records properly documented, including PQTRs and routing sheets?	10.1.8			



## 7. Material Control

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
7.1	Are base and filler materials purchased with Material Test Reports (MTRs) or Certificates of Conformance (COCs)?	10.4.1.1			
7.2	Are shielding gases classified per AWS A5.32 or WPS requirements?	10.4.1.3			
7.3	Are consumables stored per AWS D1.1 or manufacturer recommendations?	10.4.2.3			

## 8. Accreditation & Audit Compliance

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
8.1	Does the facility undergo initial and periodic audits by AWS per ISO 19011?	11.3			
8.2	Are all AWS audit nonconformities addressed within 30 days?	11.4.2.2			
8.3	Are annual reports submitted to AWS for accreditation maintenance?	13.2			

## 9. Corrective Action & Continuous Improvement

	Requirement	QC47 Reference	Manual Reference	Auditor Yes/No/NA	Auditor Comments
9.1	Are all nonconformances documented?	10.1.11			
9.2	Is timely feedback provided for corrective actions of documented nonconformances?	10.1.11			